

<b>Freigabezertifikat/ Release certificate</b>
--

Produkt Product	Khiron ELG 30/1		
Stärke Strength	THC: 30 %	CBD: < 1 %	
Darreichungsform Dosage form	ganze Blüte (fest) whole flower (solid)		
Charge Batch	2025CF5202001		
Verfalldatum Expiry date	30.06.2026		
Packungsgröße Packaging size	100 g		

### Rezepturarzneimittel zur Abgabe an Apotheken

Prescription drugs for dispensing to pharmacies

### Analysenergebnisse

Analytical results

#### Analyses according to Ph.Eur. 11.8, Monograph 07:2024/3028

Test Item	Method	Specified reference value	Result
<b>Identification</b>			
<b>Identity A (macroscopic)</b>	Test according Ph. Eur.	complies to the requirements of Ph. Eur. Monograph 3028	compliant
<b>Identity B (microscopic)</b>	Test according Ph. Eur. 2.8.23	complies to the requirements of Ph. Eur. Monograph 3028	compliant
<b>Identity C (HPTLC)</b>	Test according Ph. Eur. 2.8.25	complies to the requirements of Ph. Eur. Monograph 3028	compliant
<b>Foreign matter</b>	Test according / Ph.Eur. 2.8.2	max. 2 % does not contain any seeds or leaves more than 1.0 cm length	< 2 % compliant
<b>Loss of drying (LOD)</b>	Test according Ph. Eur. 2.2.32	max. 12.0 % (w/w)	7.9 %
<b>Purity</b>			
<b>Cannabinol (CBN)</b>	Test according Ph. Eur. 2.2.29	max. 1.0 %	< 0.1 %
<b>Content</b>			
<b>Assay <math>\Delta^9</math>- Tetrahydrocannabinol (THC)</b>	Test according Ph. Eur. 2.2.29	not less than 90.0 % and not more than 110.0 % of the strength declared <sup>1)</sup> 30 % $\pm$ 10 % (27.0 – 33.0 %)	28.4 %

<b>Assay Cannabidiol (CBD)</b>	Test according Ph. Eur. 2.2.29	max. 1.0 %	< 0.1 %
<b>Heavy metals</b>			
<b>Arsenic (As)</b>	Ph. Eur. 2.4.27	max. 0.2 ppm	n.n.
<b>Cadmium (Cd)</b>	Ph. Eur. 2.4.27	max. 0.3 ppm	n.n.
<b>Lead (Pb)</b>	Ph. Eur. 2.4.27	max. 0.5 ppm	n.n.
<b>Mercury (Hg)</b>	Ph. Eur. 2.4.27	max. 0.1 ppm	n.n.
<b>Microbiology Ph. Eur. 5.1.8 cat. C</b>			
<b>TAMC</b> (Total Aerobic microbial count)	Ph. Eur. 2.6.12	max. 500.000 CFU/g	< 10.000 CFU/g
<b>TYMC</b> (Total Yeast & Molds count)	Ph. Eur. 2.6.12	max. 50.000 CFU/g	< 1.000 CFU/g
<b><i>E. coli</i></b>	Ph. Eur. 2.6.31	absent/g	absent/g
<b><i>Salmonella spp.</i></b>	Ph. Eur. 2.6.31	absent/25 g	absent/25g
<b>Bile tolerant Gram-Negative Bacteria</b>	Ph. Eur. 2.6.31	max. 10 <sup>4</sup> CFU/g	> 1.000 and < 10.000 CFU/g
<b>Toxins</b>			
<b>Aflatoxin B<sub>1</sub></b>	Ph. Eur. 2.8.18	max. 2 ppb (2 µg/kg)	n.n.
<b>Sum of Aflatoxin B<sub>1</sub>, B<sub>2</sub>, G<sub>1</sub>, G<sub>2</sub></b>	Ph. Eur. 2.8.18	max. 4 ppb (4 µg/kg)	n.n.
<b>Ochratoxin A</b>	Ph. Eur. 2.8.22	max. 2 ppb (2 µg/kg)	n.n.
<b>Pesticides incl. Dithiocarbamates</b>	Ph. Eur. 2.8.13	absent	n.n.

n.n. = below limit of quantitation

Die Charge wurde nach den derzeit gültigen Prüfverfahren getestet und erfüllt die Spezifikation.

The batch was tested according to the currently valid testing procedure and fulfils the specification.

Die Charge wurde durch die Sachkundige Person [REDACTED] gem. Art. 48 und 51 der RL 2001/83 am 21.11.2025 zertifiziert.

The batch was certified by the qualified person [REDACTED] according to §48/51 Directive 2001/83 on 21.11.2025.

Dieses Zertifikat ist elektronisch erstellt worden und ohne Unterschrift gültig.

This certificate has been created electronically on the basis of the information provided by the Qualified Person according to Article 15 AMG and is valid without signature.